


Offroad

Extreme Cross
Hard Cross
Mountain Cross
Light Cross
2021



Husqvarna®
E-BICYCLES

A person is silhouetted while riding a bicycle on a rocky mountain ridge. The sun is low on the horizon, creating a strong lens flare and illuminating the scene with a warm, golden light. The background features a range of mountains, some with snow, under a blue sky with scattered clouds.

Découvrez des endroits secrets, connus de quelques élus seulement.

Mountain Cross



Polyvalence sans compromis.

La bonne puissance au bon moment.
Puissance brute et maîtrise totale.
Puissance ajustable selon tes envies.
Une sensation de force maximale – Shimano EP8.



2,6 kg
250 W
85 Nm
25 km/h



Extreme Cross

Destiné uniquement aux terrains et aux pilotes les plus extrêmes. Grâce à son couple optimisé et à ses 200 mm de débattement, l'Extreme Cross franchit aisément n'importe quel gouffre, n'importe quel obstacle, n'importe quel terrain. Sa puissance incomparable vous permettra de tailler la route aussi facilement en montée qu'en descente. Pour des aventures tout-terrain toujours plus folles.

TIGE DE SELLE
TÉLESCOPIQUE



FOURCHE FOX FLOAT
40 FACTORY, 200 mm

INTÉGRATION DU MOTEUR
VIA L'INTERFACE SKELETON.



Extreme Cross 10

-  Alloy 6061, Downhill, 200mm, Full Active 4-Link, Skeleton Interface, Integrated Battery, 12x148mm
-  FOX Float 40 Factory, Grip 2, 203mm, Tapered
-  FOX DHX2 Factory, 225x75mm, Trunnion
-  Shimano EP8, DU-EP8, 250W, 85Nm
-  Simplo TPS, 630Wh, 36V, 17,5Ah
-  Shimano Saint, RD-M820, Shadow Plus, 10-speed
-  Magura MT5 eSTOP, hydr. Disc, 4-piston
Magura MDR-P, 203mm, 6-bolt
-  DT Swiss FR 1950 CLASSIC, Tubeless, 6-bolt, 20x110/12x148mm
-  Schwalbe Magic Mary, Super Gravity, Tubeless, 60-584, 27.5x2.60
-  S / M / L
-  25,9 kg / 130 kg





EUR 7.899,-*

*Prix de vente recommandé, incluant la TVA applicable

CHF 8.999,-*
SEK 87.990,-*
CZK 219.990,-*
PLN 35.990,-*

Extreme Cross 9

-  Alloy 6061, Downhill, 200mm, Full Active 4-Link, Skeleton Interface, Integrated Battery, 12x148mm
-  SR Suntour Rux38 Boost RC2-PCS, Air, 200mm, Tapered
-  SR Suntour Triair 3CR, 225x75mm, Trunnion
-  Shimano EP8, DU-EP8, 250W, 85Nm
-  Simplo TPS, 630Wh, 36V, 17,5Ah
-  Shimano Deore, RD-M5100, Shadow Plus, 11-speed
-  Magura MT5 eSTOP, hydr. Disc, 4-piston
Magura MDR-P, 203mm, 6-bolt
-  Rim: Ryde Disc 35, Eyelets, Tubeless
Front: Husqvarna DH820F, 6-bolt, 20x110mm
Rear: Husqvarna DA210R, 6-bolt, 12x148mm
-  Schwalbe Magic Mary, Super Gravity, Tubeless, 60-584, 27.5x2.60
-  S / M / L
-  26,3 kg / 130 kg



EUR 5.699,-*

*Prix de vente recommandé, incluant la TVA applicable

CHF 6.399,-*
SEK 62.990,-*
CZK 159.990,-*
PLN 25.990,-*





Hard Cross 8

Hard Cross

Testé sur les pistes les plus exigeantes par des pilotes professionnels, le Hard Cross est le vélo idéal pour parfaire votre maîtrise, développer de nouvelles techniques et conquérir les terrains réputés impossibles. Bref, l'idéal pour les précurseurs, ceux qui explorent les singletracks, les Bike Parks et les sorties Freeride.






Hard Cross 9

-  Alloy 6061, Enduro, 180mm, Full Active 4-Link, Skeleton Interface, Integrated Battery, 12x148mm
-  Fox Float 38 Factory, Grip 2, 180mm, Tapered
-  Fox Float X2 Factory, 225x67.5mm
-  Shimano EP8, DU-EP8, 250W, 85Nm
-  Simplo TPS, 630Wh, 36V, 17,5Ah
-  Shimano Deore XT Di2, RD-M8050, 11-speed
-  Shimano Deore XT, BR-M8120, hydr. Disc, 4-piston
Shimano RT-EM810, 203mm, Centerlock
-  DT Swiss H 1700 SPLINE 35, Tubeless, Centerlock, 15x110/12x148mm
-  Maxxis Minion DHF, Exo+ Protection, Tubeless, 65-584, 27.5x2.60,
Maxxis Minion DHR II, Exo+ Protection, Tubeless, 65-584, 27.5x2.60
-  S / M / L / XL
-  24,9 kg / 130 kg












Hard Cross 8

-  Alloy 6061, Enduro, 180mm, Full Active 4-Link, Skeleton Interface, Integrated Battery, 12x148mm
-  Fox Float 38 Performance, Grip, 180mm, Tapered
-  Fox Float X2 Performance, 225x67.5mm
-  Shimano EP8, DU-EP8, 250W, 85Nm
-  Simplo TPS, 630Wh, 36V, 17,5Ah
-  Shimano Deore XT, RD-M8100, Shadow Plus, 12-speed
-  Shimano BR-MT520, hydr. Disc, 4-piston
Shimano RT-EM810, 203mm, Centerlock
-  DT Swiss H 1900 SPLINE 35, Tubeless, Centerlock, 15x110/12x148mm
-  Maxxis Minion DHF, Exo+ Protection, Tubeless, 65-584, 27.5x2.60,
Maxxis Minion DHR II, Exo+ Protection, Tubeless, 65-584, 27.5x2.60
-  S / M / L / XL
-  24,7 kg / 130 kg

Hard Cross 7

-  Alloy 6061, Enduro, 180mm, Full Active 4-Link, Skeleton Interface, Integrated Battery, 12x148mm
-  Fork Rock Shox ZEB Select, Charger RC, 180mm, Tapered
-  Rock Shox Super Deluxe Select+, 225x67.5mm, Trunnion
-  Shimano EP8, DU-EP8, 250W, 85Nm
-  Simplo TPS, 630Wh, 36V, 17,5Ah
-  Sram SX Eagle, 12-speed
-  Tektro Orion, HD-M745, hydr. Disc, 4-piston
Tektro TR24, 203mm, 6-bolt
-  Rim: Ryde Disc 35, Eyelets, Tubeless
Front: Husqvarna DA210F, 6-bolt, 15x110mm
Rear: Husqvarna DA210R, 6-bolt, 12x148mm
-  Schwalbe Magic Mary, Evo, Tubeless, 65-584, 27.5x2.60,
Schwalbe Hans Dampf, Evo, Tubeless, 65-584, 27.5x2.60
-  S / M / L / XL
-  25,3 kg / 130 kg

Hard Cross 6

-  Alloy 6061, Enduro, 180mm, Full Active 4-Link, Skeleton Interface, Integrated Battery, 12x148mm
-  SR Suntour Durolux36 Boost RC-PCS, Air, 180mm, Tapered
-  SR Suntour Triair 3CR, 225x70mm, Trunnion
-  Shimano EP8, DU-EP8, 250W, 85Nm
-  Simplo TPS, 630Wh, 36V, 17,5Ah
-  Shimano Deore, RD-M4120, Shadow, 10-speed
-  Tektro Orion, HD-M745, hydr. Disc, 4-piston
Tektro TR24, 203mm, 6-bolt
-  Rim: Ryde Disc 35, Eyelets, Tubeless
Front: Husqvarna DA210F, 6-bolt, 15x110mm
Rear: Husqvarna DA210R, 6-bolt, 12x148mm
-  Schwalbe Magic Mary, Evo, Tubeless, 65-584, 27.5x2.60,
Schwalbe Hans Dampf, Evo, Tubeless, 65-584, 27.5x2.60
-  S / M / L / XL
-  25,3 kg / 130 kg



EUR 7.499,-
*Prix de vente recommandé, incluant la TVA applicable
 CHF 8.499,-
 SEK 82.990,-
 CZK 209.990,-
 PLN 33.990,-



EUR 6.499,-
*Prix de vente recommandé, incluant la TVA applicable
 CHF 7.399,-
 SEK 71.990,-
 CZK 179.990,-
 PLN 29.990,-



EUR 5.499,-
*Prix de vente recommandé, incluant la TVA applicable
 CHF 6.199,-
 SEK 60.990,-
 CZK 149.990,-
 PLN 24.990,-



EUR 4.799,-
*Prix de vente recommandé, incluant la TVA applicable
 CHF 5.399,-
 SEK 52.990,-
 CZK 134.990,-
 PLN 21.990,-

Mountain Cross

Extrêmement polyvalent. Toujours prêt. Le Mountain Cross et ses géométries spécialement repensées vous donnent toute la sérénité nécessaire pour gravir n'importe quelle montagne, dévaler n'importe quelle colline et parcourir les paysages les plus spectaculaires. Avec un calme olympien.

MOTEUR EP8
LÉGER ET COMPACT



MODE TRAIL
OPTIMISÉ

27.5"

29"

14

Mountain Cross 7



LE MC7 N'ATTEND QUE LE SIGNAL
DU DÉPART POUR ATTAQUER LES
CHEMINS SANS COMPROMIS ET DES
PERFORMANCES ABSOLUES.





Pure adrénaline.



Mountain Cross 7

- 29/27.5, Alloy 6061, All Mountain, 150mm, Full Active 4-Link, Integrated Battery, 12x148mm
- Fox Float 36 Factory E-bike+, Grip 2, 150mm, Tapered
- Fox Float DPS Factory, 205x60mm, Trunnion
- Shimano EP8, DU-EP8, 250W, 85Nm
- Simplo TPS, 630Wh, 36V, 17,5Ah
- Shimano Deore XT, RD-M8100, Shadow Plus, 12-speed
- Shimano Deore XT, BR-M8120, hydr. Disc, 4-piston
Shimano RT-EM810, 203/180mm, Centerlock
- DT Swiss H1900 Spline 30, Tubeless, Centerlock, 15x110/12x148mm
- Maxxis Rekon, Exo+ ProTecton, Tubeless, 62-622, 29x2.40
Maxxis Rekon, Exo+ ProTecton, Tubeless, 65-584, 27.5x2.60
- S / M / L / XL
- 24,5 kg / 130 kg

Mountain Cross 6

- 29/27.5, Alloy 6061, All Mountain, 150mm, Full Active 4-Link, Integrated Battery, 12x148mm
- Fox Float 36 Rhythm, Grip, 150mm, Tapered
- Fox Float DPS Performance, 205x60mm
- Shimano EP8, DU-EP8, 250W, 85Nm
- Simplo TPS, 630Wh, 36V, 17,5Ah
- Sram SX Eagle, 12-speed
- Sram G2 RSC, hydr. Disc, 4-piston
Sram Centerline, 203/180mm, 6-bolt
- Rim: Ryde Disc 35, Eyelets, Tubeless
Front: Husqvarna DA210F, 6-bolt, 15x110mm
Rear: Husqvarna DA210R, 6-bolt, 12x148mm
- Maxxis Rekon, Exo+ ProTecton, Tubeless, 62-622, 29x2.40,
Maxxis Rekon, Exo+ ProTecton, Tubeless, 65-584, 27.5x2.60
- S / M / L / XL
- kg / 130 kg

Mountain Cross 5

- 29/27.5, Alloy 6061, All Mountain, 150mm, Full Active 4-Link, Integrated Battery, 12x148mm
- Rock Shox 35 Gold RL, DebonAir, 150mm, Tapered
- Rock Shox Deluxe Select+, 205x60mm, Trunnion
- Shimano EP8, DU-EP8, 250W, 85Nm
- Simplo TPS, 630Wh, 36V, 17,5Ah
- Shimano Deore, RD-M5100, Shadow Plus, 11-speed
- Shimano BR-MT420, hydr. Disc, 4-piston
Shimano SM-RT66, 203/180mm, 6-bolt
- Rim: Ryde Disc 35, Eyelets, Tubeless
Front: Husqvarna DA210F, 6-bolt, 15x110mm
Rear: Husqvarna DA210R, 6-bolt, 12x148mm
- Schwalbe Nobby Nic, Performance, Tubeless, 65-622, 29x2.60,
Schwalbe Nobby Nic, Performance, Tubeless, 65-584, 27.5x2.60
- S / M / L / XL
- 25 kg / 130 kg

Mountain Cross 4

- 29/27.5, Alloy 6061, All Mountain, 150mm, Full Active 4-Link, Integrated Battery, 12x148mm
- SR Suntour Zeron35 Boost LOR, Air, 150mm, Tapered
- SR Suntour Edge LOR8, 205x60mm, Trunnion
- Shimano EP8, DU-EP8, 250W, 85Nm
- Simplo TPS, 500Wh, 36V, 14Ah
- Shimano Deore, RD-M4120, Shadow, 10-speed
- Tektro Orion, HD-M735, hydr. Disc
Tektro TR24, 203/180mm, 6-bolt
- Rim: Ryde Disc 35, Eyelets, Tubeless
Front: Husqvarna DA210F, 6-bolt, 15x110mm
Rear: Husqvarna DA210R, 6-bolt, 12x148mm
- Schwalbe Nobby Nic, Performance, Tubeless, 65-622, 29x2.60,
Schwalbe Nobby Nic, Performance, Tubeless, 65-584, 27.5x2.60
- S / M / L / XL
- kg / 130 kg



EUR 6.799,-
 *Prix de vente recommandé, incluant la TVA applicable
 CHF 7.499,-
 SEK 74.990,-
 CZK 189.990,-
 PLN 29.990,-

EUR 5.699,-
 *Prix de vente recommandé, incluant la TVA applicable
 CHF 6.499,-
 SEK 62.990,-
 CZK 159.990,-
 PLN 25.990,-

EUR 4.899,-
 *Prix de vente recommandé, incluant la TVA applicable
 CHF 5.499,-
 SEK 53.990,-
 CZK 136.990,-
 PLN 21.990,-

EUR 4.399,-
 *Prix de vente recommandé, incluant la TVA applicable
 CHF 4.999,-
 SEK 48.990,-
 CZK 122.990,-
 PLN 19.990,-

Light Cross

Parfait pour les débutants, utile pour les pros, le Light Cross joue la vitesse et la maniabilité sur tous les terrains (même). Avec son large éventail d'accessoires et d'optimisations destinés à maximiser la sécurité et le confort, vous allez l'adorer.

FREINS
HYDRAULIQUES



BATTERIE
INTÉGRÉE 630 WH

Light Cross 6



LE CHEMIN DEVIENT DE PLUS EN PLUS ÉTROIT, ALORS VOUS CHANGEZ DE BRAQUET. VOUS AVEZ TROUVÉ VOTRE RYTHME, MAIS VOUS SAVEZ QUE DEVANT VOUS SE PROFILE L'INATTENDU. AUCUN PROBLÈME : VOUS ÊTES PARFAITEMENT ÉQUIPÉ ET PRÉPARÉ. QUE LE SPECTACLE COMMENCE !

X VIEW
1275m



Light Cross 6

Light Cross 3 27.5" / 29"

Light Cross JR 27.5"

Light Cross JR 24"

Alloy 6061, Hardtail, Skeleton Interface, Integrated Battery, 12x148mm

Alloy 6061, Hardtail, Skeleton Interface, Semi Integrated Battery, 10x141mm

27.5" Alloy 6061, Kids Hardtail, Compact Interface, Semi Integrated Battery, 9x135mm

24" Alloy 6061, Kids Hardtail, Compact Interface, Semi Integrated Battery, 9x135mm

SR Suntour XCR32 LOR, Air, 120mm, Tapered

SR Suntour XCM32 LO, Coil, 120mm

SR Suntour XCM, Coil, 120mm

SR Suntour XCT-JR, Coil (Soft), 80mm

Shimano STePS, DU-E8000, 250W, 70Nm

Shimano STePS, DU-E7000, 250W, 60Nm

Shimano STePS DU-E5000, 40Nm

Shimano STePS DU-E5000, 40Nm

Simplo TPS, 630Wh, 36V, 17,5Ah

Shimano BT-E8016, 630Wh, 36V, 17,5Ah

Shimano BT-E8014, Semi-Internal Battery, 418Wh, 36V, 11,6Ah

Shimano BT-E8014, Semi-Internal Battery, 418Wh, 36V, 11,6Ah

Sram SX Eagle, 12-speed

Shimano Deore, RD-M4120, Shadow, 10-speed

Shimano ALTUS, RD-M2000, GS, 9-Speed

Shimano ALTUS, RD-M2000, GS, 9-Speed

Magura MT2, hydr. Disc
Magura MDR-C, 180mm, 6-bolt

Shimano BR-MT201, hydr. Disc
Shimano RT-EM300, 180mm, Centerlock

Tektro, HD-M275 Hydraulic Disc Brake
Tektro TR-180, 180mm, 6-bolt

Tektro, HD-M275 Hydraulic Disc Brake
Tektro TR-180, 180mm, 6-bolt

Rim: Ryde Disc 35, Eyelets, Tubeless
Front: Husqvarna DA210F, 6-bolt, 15x110mm
Rear: Husqvarna DA210R, 6-bolt, 12x148mm

Rim: Ryde Disc30, Eyelets, Tubeless
Front: Shimano Altus, MT400BX, Centerlock, 15x100mm
Rear: Shimano MT200, Centerlock, 10x141mm

Rim: Alex Rims MD 19, Eyelets
Hub: Husqvarna JR, 6-bolt, 9x100mm
Rim: Alex Rims MD 19, Eyelets
Hub: Husqvarna JR, 6-bolt, 9x135mm

Rim: Alex Rims MD 19, Eyelets
Hub: Husqvarna JR, 6-bolt, 9x100mm
Rim: Alex Rims MD 19, Eyelets
Hub: Husqvarna JR, 6-bolt, 9x135mm

Schwalbe Nobby Nic, Performance, Tubeless, 65-622, 29x2.60

Schwalbe Nobby Nic, Performance, Tubeless, 65-622, 29x2.60

Schwalbe, Smart Sam, Performance, K-Guard, 27.5x2,25

Schwalbe, Smart Sam, Performance, Addix, 24x2,1

S / M / L

S / M / L

uni

uni

23,5 kg / 130 kg

22,7 kg / 130 kg

21,4 kg / 130 kg

20,2 kg / 100 kg



EUR 3.899,-*

*Prix de vente recommandé, incluant la TVA applicable

CHF 4.399,-*

SEK 42.990,-*

CZK 109.990,-*

PLN 17.990,-*

EUR 3.199,-*

*Prix de vente recommandé, incluant la TVA applicable

CHF 3.599,-*

SEK 35.990,-*

CZK 89.990,-*

PLN 14.990,-*

EUR 2.399,-*

*Prix de vente recommandé, incluant la TVA applicable

CHF 2.699,-*

SEK 26.990,-*

CZK 66.990,-*

PLN 10.990,-*

EUR 2.299,-*

*Prix de vente recommandé, incluant la TVA applicable

CHF 2.599,-*

SEK 25.990,-*

CZK 63.990,-*

PLN 10.590,-*

Géométrie

Extreme Cross

Taille de Cadre	S	M	L
E Tube supérieur (horizontal)	580	610	644
A Hauteur de cadre (cm)	420	440	460
B Angle du tube de selle	76°	76°	76°
C Hauteur de douille de direction	120	120	140
D Angle du tube de direction	65°	65°	65°
F Longueur de base	455	455	455
G Empattement	1230	1260	1298
BB-Drop	0	0	0
Stack	620	620	638
Reach	425	455	485

Hard Cross

Taille de Cadre	S	M	L	XL
E Tube supérieur (horizontal)	589	609	633	654
A Hauteur de cadre (cm)	420	440	470	480
B Angle du tube de selle	76°	76°	76°	76°
C Hauteur de douille de direction	120	120	140	140
D Angle du tube de direction	66°	66°	66°	66°
F Longueur de base	455	455	455	455
G Empattement	1212	1232	1260	1280
BB-Drop	0	0	0	0
Stack	618	618	636	636
Reach	435	455	475	495

Mountain Cross


Taille de Cadre	S	M	L	XL
E Tube supérieur (horizontal)	601	616	641	661
A Hauteur de cadre (cm)	400	440	480	520
B Angle du tube de selle	76°	76°	76°	76°
C Hauteur de douille de direction	120	120	140	140
D Angle du tube de direction	65°	65°	65°	65°
F Longueur de base	439	439	439	439
G Empattement	1114	1129	1158	1178
BB-Drop	-12	-12	-12	-12
Stack	628	628	646	646
Reach	445	460	480	500

Light Cross

Taille de Cadre	29" INTEGRATED			29" SEMI-INTEGRATED			27.5" SEMI-INTEGRATED		
	S	M	L	S	M	L	S	M	L
E Tube supérieur (horizontal)	625	650	680	625	650	680	600	625	656
A Hauteur de cadre (cm)	450	500	530	450	500	530	450	500	550
B Angle du tube de selle	74°	74°	74°	74°	74°	74°	74°	74°	74°
C Hauteur de douille de direction	120	120	140	120	120	140	120	120	140
D Angle du tube de direction	68°	68°	68°	68°	68°	68°	68°	68°	68°
F Longueur de base	460	460	460	460	460	460	445	445	445
G Empattement	1188	1212	1245	1188	1212	1245	1149	1174	1206
BB-Drop	-60	-60	-60	-60	-60	-60	-40	-40	-40
Stack	645	645	664	645	645	664	611	612	630
Reach	440	465	490	440	465	490	425	450	475

Light Cross JR

Taille de Cadre	24"	27.5"
	uni	uni
E Tube supérieur (horizontal)	540	560
A Hauteur de cadre (cm)	330	350
B Angle du tube de selle	74°	74°
C Hauteur de douille de direction	110	110
D Angle du tube de direction	68°	68°
F Longueur de base	400	450
G Empattement	1028	1109
BB-Drop	-40	-40
Stack	541	607
Reach	385	386



Icons

	Cadre		Batterie		Pneumatique		Remorque enfant compatible
	Fourche		Dérailleur arrière		Taille de cadre		
	Amortisseur		Attacco manubrio		Poids (Poids total autorisé)		
	Moteur		Jeu de roues				



Rien ne vous arrête.

MENTION LÉGALE

Ne reproduisez pas!

Les pilotes présentés sont des pilotes professionnels. Husqvarna E-Bicycles souhaite avertir tous les cyclistes qu'ils doivent porter des équipements de protection appropriés et de toujours conduire de manière responsable, dans le respect des règles du code de la route Français. Avertissements et notifications les dangers présents dans le manuel du propriétaire doivent être observés après l'achat d'un vélo électrique et lors de sa première utilisation. Veuillez contacter votre distributeur Husqvarna E-Bicycles pour plus d'informations. Les détails des véhicules présentés peuvent différer des modèles de production, et certaines illustrations montrent des équipements optionnels disponibles moyennant des frais supplémentaires. Toutes les informations concernant le kit de livraison, l'aspect, les prestations, les dimensions et les poids ne sont pas contractuels et sont spécifiés sous réserve d'erreurs (impression, définition et / ou frappe, etc.); ces informations sont sujets à changement sans préavis. Veuillez noter que les spécifications du modèle peuvent varier selon le pays.

PIERER E-Bikes GmbH
Gewerbegebiet Nord 20
5222 Munderfing, Austria
www.piererebikes.com
www.husqvarna-bicycles.com

